ÁSTRO	Wision Inc. BB ARCAI	DE SERVICE BILL OF MATERIALS	10/5/81
in	00001911001	_RSKI_NUMBEEDESIGNATION	OTYCOSI
Y# TU	O HAND CONTRULS ***	<i>.</i>	
1	Barra, occupre ston	79010-00245-0900 ,	202
2	Pole Bis 6*x9*:1.5 mils	0012-0004-0115	2 .02
3	'E' Find	0017~00100~0013	4 .02
4 .	Screw #4/3/3 Phillips Panhead	0017-00101-0083	12 .01
5	Type B. Steel	0017-00103-0069	2 .04
6	Pal Nut.178	0017-00103-0059	4 .01
7	Platercompression	0620-00100-00ZN	2 .03
3	Bracket, Antı Twist	0620-00101-017N	2 .04
9	Actuator, sering	0520-00104-0200	2 .03 .
0	Jumper Wire,yellow ≇22 AWG Prebond	0620-00108-0000	2 .01
1	3 3/4° long Leaf sering, back	0620-00159-00XF	2 .07
2	Leaf Sering front	0620-00160-00XF	2 .07
3	Triuser	0420-07900-0300	2 .13
4	Control smiserisht	0620-00902-0400	2 .36
5	Concest are eleft	0820-00902-0500	2 .36

EM	_DESCRIBIION	_EART_NUMBER	_DESIGNATION	_0IY	_COSI
14	Styrofoam,left	0620-00403-0000		1	.87
15	Roll up filler	0620-00404-0006		1	.27
16	Heat sink, compound	0042-00051-0060		1.	.02
7	Outer carton for shipping	0620-00406-0000		1	.90
8	Serial tas BA-1000	0620-00934-0420		1	.15
9 .	Filler, Power transformer	0620-0411-0000		1	.40
ō	Cursor Group applications	FORM-10499-1XXX		1	.09
1	Epoxy-Data Chip/H.S. Data Bond#152	0042-0181-0512		1	.02
2 2	Wire ties		with antenna % Pow	er cor	i 2
3	Gold foil for cabinet touch up		with cabinets by A	ltra	. 0,0
4	Maskins tare 3/4° wide,3° lons			1	.00
5	to seal handle fil. Hot Melt slue to close outer carton			1	.00

DESCE EIION	PARI_NUMBER	DESIGNA	AIION	0	IY	COSI	
Housins,keaboard /cassette	0620-00916-0100			1	1	.30	
Ejector bar	0620-00920-0100	A		1		.27	
Reset Button	0620-00921-0100	**		1		.25	
Pins,crimp Power transformer	0017-00021-0212			4		.02	72
0850-0113 Connector,7Pin Power transformer	0017-00021-0315			1	l	.13 (COD
Power (transformer)	0620-00911-0000 connector			:	l	7,00)
Dust cover-smoked For ABA-1000	0620-00915-0000				1	1.62	
Loso (black&beise)	0620-00923-0200				1	.68	
Pols bas for manual 6*x9*x1.5 mil	0017-0004-0115				1	.02	
Overlas,kesboard scribbling	0620-00111-0000				1	1.11	
Owners Manual	0620-00303-0000				1	.68	
Warranty Card	FORM-00048-1077				1	.04	
Poly Bas for cabinet	0017-00042-0172	No Ch	e sersi	rovided	with	top co	ver 1
18"×20" 3 mil							
Carton, inner top 4 color	0620-00400-0000				1	1.29	
Carton, inner bottom	0620-00401-0000				1	1.09	,
Styrofoam, right	0620-00402-0000	,			1	.87	

EM_	DESCRIPTION	EART_NUMBER	_DESIGNATION	QIY	COSI
2	Screw,Keyboard mts. #6x1/2 slot hex was type A Zinc.	her head		4	.01
3	Washer, nylon ≇ 6 16FW006032	0017-00104-0088		3	.01
4	Spring clip-bottom shield/line filter	0620-00119-00DE		1	. 1 4
5	Spring clip-bottom shield/modulator	0620-00121-00DE		1	.12
6	Sprins clip, top shield/line filter	0620-00141-0000		1	.23
7 .	RF shield, top	0620-00148-E000		1,	.57
8	Insulator, B version	0620-00150-0000		1	.76
9	Standoff 4-40 Brass roll over	0620-00702-0000		11	.05
j	Coax cable 72 ohm 12 ft. RG59AU with RCA plugs	0620-00910-0100	1.9	1	2,42
1	TV adarter switch	0620-00912-0000		1	1.40 /
2	Cabinet, top walnut	0620-00913-0100		1	6.85
3	Cabinet, bottom	0620-00914-0100		1	2,14
4	Heat sink bar aluminum 4°×1/2°×1/8°	0620-00161-0000		1	.18
5	Spring, ejector	0010-00247-0000		1	.05
5	Ejector button Assembly	A620-00025-0200		1	•58
2	Overlay, keyboard	0620-00105-00SC		1	785
	12 41 000				J. —

ď	_DESCRIBIION	.EAKI_NUMBER	_DESIGNATION	_QIY_	cosi
	Crystal 14.3181 MHZ Special Tolerance	0069-079XX-XX2X	Y1	1	2.54
	Jumper 3/4" ‡20 Bus Wire	<i>*</i>	JP2	1	.01
	Jumper 13 1/2° ‡20 Prebond,Insulated		JP1	1.	.03
* F	INAL ASSEMBLY PARTS *>	**			
٠.	Bottom RF Shield	0620-00149-00DE		1	1.53
	Heat Sink,Data Chip	0620-00123-0000		1	. 14
	Rivet,Larse-Tubular C1×4/16, Ni-plate	0017-00072-0036		2	.01
	RF modulator UM1291-1 5% duty tax includ.	0017-00003-C190		1	11.68
	U Clip, Tinnerman C22323-014-24	0017-00007-0135		3	.03
	Feet,Polyurethane Pad-stickon	0017-00041-0602		4	.11
	Rivet .088x 3/32 Ni-plate	0017-00072-0081		4	.01
i	Screw, PC mt.6x3/8 Phillips Panhead Tupe 25 TCS-Zinc	0017-00101-0067		4	.01
,	Screw, PCB/shield 4-40 3/16 zinc. m.s.	0017-00101-0340		11	.01
•	Lockwasher,#4 Split	0017-00104-0099		10	.00
	Screw, cab. mtg. 8-32×3/8 Phil-R.H. M.S. B.O.	0017-00101-0776		5	.01

EH	_DESCRIBIION	PARI_NUMBER	_DESIGNATION	QIY	cosi
,	64K ROM MK36008P or 2364-0002 SYSTEM I'I	0066-147BX-XXWX		1	12.50
j	IC 74LS174 Hex Latch TTL	0066-243AX-XXCX		1	.58
1	Resulator variable ua78GU1C	0066-250BX-XXBX	VR3	1	1.18
3	IC 74LSOO QUAD NAND TTL	0066-453XX-XXCX	U12	1	.32
5	IC 74LS02 QUAD NOR	0066-463XX-XXBX	U11,15	2	.32
1.	IC 74LS04 HEX INV.	0066-473XX-XXHX	U6	1	.32
;	74LS10 TRIPLE NAND TTL	0066-502XX-XXCX	U13,14	2	.32
,	IC 74LS257 QUAD MUX TTL	X3XX-XAE46-660	U8,9	2	.68
,	IC 74LS367 TTL HEX BUS DRIVER	0066-700AX-XXBX	US	1	.50
3	IC 74LS74 DUAL "D" FLIP-FLOP	0066-823XX-XXHX	U21,22	2	.44
,	IC 74874 DUAL "D" FLIF-FLOP	066-821XX-XXHX	U16	1	.68
)	IC DM81LS95	0066-967AX-XXAX	U23	1	1.26
	IC DP8304	0066-968AX-XXAX	U10	1	2.18
:	Screw,n91on 6-32x3/8 010632P037	0017-00101-0774		2	.03
,	Nut, nylon 6-32 0400632 HN	0017-00103-0060		2	.03
1	Insulator - Fower Resulator	0620-00959-0000		1	.02

*					uge.
IIEM	_DESCRIBIION	EARI_NUMBER	DESIGNATION	QIY_	COSI
543	Resistor 10K ohm 1/4W	0062-227B3-1XXX	R7,39	2	.01
344	Resistor 11K ohm 1/4W	0062-229B3-1XXX	R10	1	.01
545	Resistor 22K ohm 1/4W	0062-243B3-1XXX	R9	1 .	.01
546	Resistor 1 mesohm 1/4W	0062-323B3-1XXX	R6	1	.01
547	Diode 1N4004 1AMP 400V	0064-030XX-XXCF	D1-D8	8	.07
548 ·	Diode 1N4148 Silicon Sisnal	0064-048XX-XXFX	D9-28	20	.03
549	Transistor TIP 31 T0220 NFN Power Darlington	065-485XX-XXMX	Q1	1	. 4 4
550	Transistor TIS 137 PNP	0065-500XX-XXMX	02	1	.56
551)	IC Resulator +12V LM342-P12	0066-023BX-XXAX	VR1	1	•80
552	IC 4Kx1 Dynamic RAM MK4027-4 250 N.S.	0066-228XD-XXBX	U24-31	8	2.62
553	IC Resulator +10V LM342F10	0066-025BX-XXAX	VR2	1	.85
354	IC Resulator -5V LM320MP5 or UA7905CKC	0066-026BX-XXAX	VR4	1	1.05
555	IC Custom ADDRESS 1447 (んぷ)	0066-115XX-XXYX	U17	1	9.10
556	IC Custom 1/0 1448	0066-117XX-XXYX	U19 ,	i	9.10:
357	IC Custom Data C2860D-1	0066-118XX-XYXX	U18	1	13.60
158	IC CPU ZB0 MK 3880 2 MHZ	0066-124BX-XXWS	U7	1	8.00

EM	DESCRIBIION	_EARI_NUMBEE	_DESIGNATION	_QIY	_cosi
7	Capacitor 10,000uf 10v Electrolytic	0061-322CX-5EBX	C6	1	1.22
3.	Resistor, 24ohm 1/2W	0062-065D3-1XXX	R108	1	.01
,	Resistor, 18ohm 1W	0062-0F180-1XXX	R1	1 ·	.07
)	Resistor, 47ohm 1/4W	0062-086B3-1XXX	R12,13,15,37	4	.01
l	Resistor, 62ohm 1/4W	0062-095B3-1XXX	F:14	1	.01
2 .	Resistor, 100 ohm 1/4W	0062-110E3-1XXX	R38	1	.01
5	Resistor, 150 ohm 1/4W	0062-122B3-1XXX	R18	1	.01
ì	Resistor, 150 ohm 1/2w	0062-122D3-1XXX	R3	1	.01
ز	Resistor, 240 ohm 1/4W	0062-135B3-1XXX	R2	1	.01
5	Resistor, 330 ohm 1/4W	0062-144B3-1XXX	R11	1	.01
,	Resistor 1K ohm 1/4W	0062-179B3-1XXX	R16,17,32,101-105	9	.01
3	Resistor, 2K ohm 1/4W	0062-193F3-1XXX	R4,5,19-21,40-42	8	.01
,	Resistor 2.2K ohm 1/4W	0062-195B3-1XXX	R8	1	.01
,	Resistor 3.3K ohm 1/4W	0062-203B3-1XXX	R33,35,36	3	.01
	Resistor 6.2K ohm 1/4W	0062-217#3-1XXX	R22-25	4	.01
	Resistor 8.2K ohm 1/4W	0062-223B3-1XXX	R26-31,34	7	.01

Eb	-DESCRIBIION	_EARI_NUMBER	_DESIGNATION	_QIY	_cosi
1	Clock ckt shield	0620-00114-0000		1	.33
2	Clock ckt cover	0620-00122-0000		1	.17
3	Connector 3 rin to light ren-custom	3000-16336-0000	J7	1.	.36
4	Connector 8 pin to modulator 09-66-1089	3000-16337-0000	J1	1	.25
5	Capacitor-22pf CGB220MDN	0061-025H6-1J5X	C17	1	.06
6	Capacitor 27 pf CGB270JDN	0061-028H2-1J5X	C16	1	.09
7	Capacitor 33 pf CGB330JDN	0061-030H2-1J5X	C18,49,50	3	.09
8	Capacitor 47 pf CGB470MDN	0061-034H6-1J5X	C54	1	.06
9	Capacitor 100pf CGB101JDN	0061-043H2-1J6X	C15	1	.12
ů.	Capacitor 470pf CGB471JDN	0061-061H6-1J6X	C20-47	28	.12
1	Capacitor .039uf CGE393JDX	0061-117H2-1J6X	C19	1	.34
2	Capacitor .1uf CGC104ZDZ	0061-132HX-1J6X	C2-5,9,11,12,14 C48,51,65-87,89-92	49	•11
3	Capacitor 1uf-50v Electrolstic-axial	061-163D4-4ERX	C95-106 C13	1	.10
4	Capacitor 15uf-25v Electrolytic axial	0061-207D8-4ERX	C7,8,62-64	5	.10
j	Capacitor 100uf 16v Electrolytic axial	0061-233DX-5E2X	C10	1	.13
	Capacitor 1500uf 25v Electrolytic axial	0061-297EX-5EBX	C1	1	.54

EM	_DESCRIBIION	_EARI_NUMBER	_DESIGNATION	QIY	COSI
3	Choke, 0.1 OHM Custom 10uH	0069-105XX-XXYX	L2,L3	2	.33
4	Choke, 0.3 OHM Custom 10uH	0069-096XX-XXYX	L1, L4	2	.28
5	Line filter Base	0620-00112-0000		1.	.19
6	Line filter Top	0620-00113-0000		1	.26
** -M	AIN FCB ***				
1	Main FC Board	A080-9070-B620		1	30.60
2	Tape, Cooper Conductive	0017-00081-0085		1	.12
3	Cartridse connector SV6B26P-1	0017-00021-0273	J6	1	4.80
4	Handle connector 207456-1 9 Pin	0017-00021-0291	J2-J5	4	.74
ű	Retention Bar 207742-1	0017-00042-0169	Part of J2-J5	4	.06
5	Reset Switch SPST N.O. Momentary SW011-M-CE-P-X-01-	0017-00032-0048	S 2	1	.31
1	ON/OFF Switch DPDT Slide	0017-00032-0049	S1	1	.33
3	SL022-SD-SO-D-BL-OK- Heat Sink, Large THM 6038-PB	CE-06-022-2000 0068-031XX-XXAX	нѕз	1	.25
)	Heat sink, Small THM 6047-FB	0068-032XX-XXAX	HS 1,2	2	.06
)	IC Socket 40 PIN AUG 240AG39D CAM 703-4240-01-04-10	0069-065XX-XXCX	ICS 17-19	3	.40

EM_	DESCRIBIION	_EARI_NUMBER	_DESIGNATION	QIY.	cosi
3	Tare.rolu	0017-00081-0088		1	.04
4	Revesd 24 Putton 11KS131	0017-00003-0191		1	1.56
5	Jumpers 1/2° ‡20 Tinned Bus Wire	•		1 Ò	.02
5	Insulator for end of Keypad	0620-00963-0000		1	.03
.	CLOCK PCB ASSEMBLY *				
1	PCB, Clock A069-02	A080-91332-A620		i	1.84
2	Resistor 680 ohm 1/4 W	0062-168B3-1XXX	R43,44	2	.01
3	Transistor 2N4401 NFN	0065-213XX-XXGX	Q3,4	2	.11
4	I.C TTL 7416 Hex inverter Open collector	0066-530XX-XXHX	U32	1	.33
5	Insulator	0620-00965-0000		1	.01
ó	Dummy Pin Lons 8128-17P11	0069-099XX-XXWX		7	.07
K *	LINE FILTER ASSEMBLY *	**	•		
l.	Caracitor, 1000rf Feedthrough	0061-070L8-1KVD	C201-204	4	.15
,	Capacitor, 1000sf Feedthrough w/sins	0061-070L8-1KVE	0205-208	4	.15

EM	_DESCRIPTION	EARI_NUMBER	_DESIGNATION	_QIY_	COSI
ś	Housins, centering	0620-00903-0100		2	.08
,	Center Bushing	0620-00904-0100		2	.06
3	Control handle P.C. board	0620-00905-0000		2	.68
?	Actuator button	0620-00906-0000		2	.06
)	Snap Dome Switch Assembly	A620-0006-0000	Assembled onto PCB	2	.54
	Knob ≢2	0620-00907-0200		1	.30
2_	Cable Assembly, Handle	0620-00925-0000		2	3.50
1	POT 50K LL-T450-6SF	0063-285AX-LHFX		2	1.94
i	Insulator Mylar large	0620-00970-0000		2	.04
i	Insulator, Mylar,small	0620-00971-0000		2	.01
	Oil,trisser contact Globo M2000			2	.00
	TY Wraps 4 1/4° 230425N	0017-00042-0105		2	.01
t K	EYPAD ASSEMBLY ***				
	P.C. Board Kespad extender	A069-00003-0000		1	.60

0017-00081-0081

.01

Tare,aluminum MF-210-50P